Clear Liquid Diet for Colonoscopy Prep Day

HELPFUL TIP: Avoid high fiber foods (nuts, seeds, whole grains, raw fruit and vegetables, beans, corn, chicken skin) three (3) to five (5) days prior to your procedure.

<u>No Red Colored liquids, ice or Jell-O, they may look like blood during the procedure. You MAY NOT have milk or creamer, or any alcoholic beverages on a clear liquid diet</u>

Allowable Choices

- Black coffee (no milk or Creamer)
- Tea hot or cold (no milk or creamer)
- Sports Drinks (Gatorade, PowerAde, Pedialyte)
- Clear Soda (sprite, 7up, seltzer, ginger ale)
- Lemonade
- Broth or bouillon (chicken, beef, vegetable)
- Flavored Jell-O (no red)
- Lemon Ice or Italian Ice (no red)
- Clear Juices any flavor (apple, white cranberry or grape etc.)
- Crystal Light

STOP all clear liquids 4 hours before your scheduled arrival time

DOCTORS TAMIMI, COLLIER, BIGORNIA, GLAZIER, MIRCHANDANI, MENADIER The Endoscopy Center of Ocean County 477 Lakehurst Road Toms River, New Jersey 08755 Phone 732-349-4422 Fax 732-349-8126

COLONOSCOPY PREPARATION INSTRUCTIONS 5 2 DAY CITRATE OF MAGNESIA / MIRALAX / DULCOLAX PREP

It is very important for you to **read and follow these instructions**. Failure to do so may result in cancellation of your procedure. Please keep them in a place where you can find them to **review again**, ALONG WITH THE GENERAL COLONOSCOPY INSTRUCTIONS, **one week prior to your test date**.

HELPFUL TIP: Avoid high fiber foods (nuts, seeds, whole grains, raw fruit and vegetables, beans, corn, chicken skin) three (3) to five (5) days prior to your procedure.

TEST DATE: ______ARRIVAL TIME: _____

(in any pharmacy, or grocery store in laxative aisle.)

- 1. Two 238 gram bottle of Miralax (8.3 oz.)
- 2. Four Dulcolax Tablets (Laxative, NOT Stool Softener)
- 3. 128 oz. of any clear liquid (clear juice, fruit drinks, Gatorade, clear soda) (nothing red in color)
- 4. Two 10oz bottle of Citrate of Magnesia

<u>TWO DAYS BEFORE THE</u> TEST______ HAVE A LOW RESIDUE BREAKFAST (SUCH AS EGGS AND WHITE TOAST), THEN Follow the clear liquid diet on back FOR TWO (2) DAYS

HOW TO TAKE THE PREP:

- 1. Beginning at 10 AM Take two (2) Dulcolax tablets with 8 oz. of clear liquid
- 2. Beginning at 12 NOON Drink one 10oz bottles of Citrate of Magnesia (can be mixed with clear liquid)
- 3. Beginning at 4 PM

Mix the entire bottle of Miralax in 64 oz. of any clear liquid (except water).

Dissolve the Miralax in the Clear Liquid. . Drink 6-8 ounces of the solution every 15-20 minutes until the solution is finished.

4. REPEAT STEPS 1,2 AND 3 THE DAY PRIOR TO YOUR PROCEDURE

5. YOU MAY CONTINURE YOUR CLEAR LIQUID DIET UNTIL 4 HOURS PRIOR TO YOUR ARRIVAL TIME